





Available in the following sizes 300*600 mm 600*1200 mm




A BLEND OF THERMAL RESISTANCE WITH INTRICATE DETAILS CREATES A WARM REPOSITORY OF CRAFTS

Make your space a reflection of passion and pursuits with creativity that bolsters beyond the ordinary means of art. With this collection, we bring a source of inspiration to your space that is featured with a wide range of features that ensure safety and precision along with a promise to deliver style and grace. It is through these pieces that we add an element of modernity to your space while focusing on functionality and utility.









TECHNICAL FEATURES







Easy To Clean



Fire Resistance



Scratch Resistance



Chemical Resistance



High Durable



Wear Resistance



Frost Resistance

Add a touch of practicality and functionality to your space with our tiles, which are suitable for any environment through vivid and distinctive features that make your space a true reflection of style and durability.

VERSATILE APPLICATION



Living Room



Bed Room



Bath Room



Kitchen Area




Dining Area



Restaurent



































Wool + Glue Carving Surface

CALACATA ORO




4 Faces



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving






Preview of Enternal Multy

Wool + Glue Carving Surface

ENTERNAL MULTY



4 Faces



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving





Preview of Venato Carrara

Wool + Glue Carving Surface

VENATO CARRARA




5 Faces



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving





Preview of Pisa Gold

PISA GOLD



4 Faces



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving





Preview of Monster Red

MONSTER RED



5 Faces



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving





Preview of Legnoso
Wool + Glue Carving Surface

LEGNOSO



4 Faces



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving





Preview of Lasa Bianco
Wool + Glue Carving Surface

LASA BIANCO



5 Faces



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving





Preview of Alexa Grey

ALEXA GREY



4 Faces



Design Information

Size: 600x1200mm


Surface : Wool + Glue Carving






Wool + Glue Carving Surface Preview of Paonazzo White

PAONAZZO WHITE



5 Faces



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving





Preview of Henz Multy

Wool + Glue Carving Surface

HENZ MULTY



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving






Preview of Foliage White Wool + Glue Carving Surface



FOLIAGE WHITE



Design Information

Size: 600x1200mm


Surface : Wool + Glue Carving





Preview of Foliage Black
Wool + Glue Carving Surface

FOLIAGE BLACK




FOLIAGE PATTERN



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving






Preview of Emerald Ice
Wool + Glue Carving Surface

EMERALD ICE



4 Faces



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving





Preview of Phantom

Wool + Glue Carving Surface

PHANTOM



4 Faces



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving






Preview of Flexstone

Wool + Glue Carving Surface

FLEXSTONE



4 Faces



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving





Preview of Dover Crema
Wool + Glue Carving Surface

DOVER CREMA



5 Faces



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving

Thickness: 8.5mm
Glazed Vitrified Tiles

DOVER GREY



5 Faces



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving



Preview of Glue Pista

Wool + Glue Carving Surface

GLUE RED



4 Faces




Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving

Thickness: 8.5mm
Glazed Vitrified Tiles

GLUE PISTA



4 Faces



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving



Preview of Imperial Onyx Pista

IMPERIAL ONYX PISTA



6 Faces



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving



IMPERIAL ONYX HONEY



6 Faces



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving

Thickness: 8.5mm
Glazed Vitrified Tiles

IMPERIAL ONYX TEAL



6 Faces



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving



Wool + Glue Carving Surface Preview of Castel Brown

CASTEL BROWN



5 Faces



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving



CASTEL GREY



5 Faces




Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving

Thickness: 8.5mm
Glazed Vitrified Tiles

CASTEL OCEAN



5 Faces



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving



Preview of Revor Brown

Wool + Glue Carving Surface

REVOR BROWN



4 Faces



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving



REVOR NATURAL



4 Faces



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving

Thickness: 8.5mm
Glazed Vitrified Tiles

REVOR GREY



4 Faces



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving



Preview of Royal Armani Beige & Brown

ROYAL ARMANI BEIGE



4 Faces



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving

Thickness: 8.5mm
Glazed Vitrified Tiles

ROYAL ARMANI BROWN



4 Faces



Design Information

Size: 600x1200mm

Surface: Wool + Glue Carving



Preview of Royal Armani Silver & Grey

ROYAL ARMANI SILVER



4 Faces



Design Information

Size: 600x1200mm


Surface : Wool + Glue Carving

Thickness: 8.5mm
Glazed Vitrified Tiles

ROYAL ARMANI GREY



4 Faces



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving



Wool + Glue Carving Surface Preview of Travertino Crema & Natural

TRAVERTINO CREMA



4 Faces



Design Information

Size: 600x1200mm

Surface : Wool + Glue Carving

Thickness: 8.5mm
Glazed Vitrified Tiles

TRAVERTINO NATURAL



4 Faces



Design Information

Size: 600x1200mm

Surface: Wool + Glue Carving

TRAVERTINO BEIGE



4 Faces



Design Information

Size: 600x1200mm


Surface : Wool + Glue Carving

Thickness: 8.5mm
Glazed Vitrified Tiles

TRAVERTINO RED



4 Faces



Design Information

Size: 600x1200mm

Surface: Wool + Glue Carving

TECHNICAL DETAILS

CHARACTERISTIC	STANDARD AS PER ISO13006:2018 ÉN14411 Gr.Bla	STANDARD AS PER IS 15622:2017 Gr.Bla	METHOD OF TESTING	MEAN VALUE OF OUR
Regulatory Properties				
Deviation in Length and Width Deviation in Thickness Straightness in Side Rectangularity Surface Flatness Central Curvature Surface Flatness Edge Curvature Surface Flatness Warpage	±0.30 % (±1.00 mm) ±5.0 % (± 0.50 mm) ±0.30 % (± 0.80 mm) ±0.30 % (±1.50 mm) ±0.40 % (± 1.80 mm) ±0.40 % (± 1.80 mm) ±0.40 %	±0.10 % ±5.0 % ±0.10 % ±0.10% ±0.50 % ±0.50 % ±0.50 % >95% defects free N.A.	ISO 10545-2/IS 13630-1 ISO 10545- 2/IS 13630-1 ISO 10545-2/IS 13630-1 ISO 10545-2/IS 13630-1 ISO 10545- 2/IS 13630-1 ISO	± 0.10 % ± 5.0 % ± 0.10 % ± 0.10 % ± 0.20 % ± 0.20 % ± 0.10 % >95% defects free ΔE <0.80
Surface Plainess Walpage Surface Quality Small Color Di erence (For Plain Colour) Glossiness (Satin/Posh)	(± 1.80 mm) >95% defects free ΔE <1.00		10545-2/IS 13630-1 ISO 10545-2/IS 13630-1 ISO 10545- 2/ISS Meter 80 ISO	15 . O V
Glossiness (Matt/CRV) Glossiness ® Value)##	As per Manufacturer As per Manufacturer As per Manufacturer	As per Manufacturer As per Manufacturer As per Manufacturer	Gloss Meter 60° Gloss Meter 60° Gloss Meter 60°	15 ≤ Gloss Value ≤ 25 7 ≤ Gloss Value ≤18 ≤ 7
Structural Properties				
Water Absorption Bulk Density	≤0.50 % As per Manufacturer	≤0.080 % Min 2.20 g/cc	ISO 10545-3/IS 13630-2 ISO 10545- 3/IS 13630-2	≤0.080 %2.28 gm/cc
Massive Mechanical Properties —	AA: 25 O	M:- 25 O	105454/10	M:- 27.0
Modulus of Rupture Breaking Strength Thickness ≥7.5 mm	Min. 35.0 N/mm² Min 1300.0 N	Min. 35.0 N/mm² Min 1300.0 N	ISO 10545-4/IS 13630-6 ISO 10545- 4/IS 13630-6	Min. 37.0 N/mm² Min 1500.0 N
Surface Mechanical Properties —	A A4 [;	A 4:	DC FN 15771 /IC	C 1. D 0 M 11
MOH'S Hardness #	As per Manufacturer	Min. 5	BS EN 1 <i>577</i> 1/IS 13630-13	Satin,Posh & Matt, CRV Min 6
Surface Abrasion Resistance #	As per Manufacturer	Min. Class II	ISO 10545-7/IS 13630-11	Satin,Posh & Matt, CRV Min III
Thermal Hygrometric Properties -				
Moisture Expansion Thermal Expansion(COE) at 100°C Thermal Shock Resistance Impact Resistance(COR) # Frost Resistance Crazing Resistance at 7.5 bar Chemical Properties	Max 0.06% (0.6 mm/m) As per Manufacturer Min 10 Cycle Min. 0.55 As per Manufacturer 4 Cycle	Max 0.02 mm/m Max. 6.0 x 10-6 Min 10 Cycle Min 0.55 As per Manufacturer 4 Cycle	ISO 10545-10/IS 13630-3 ISO 10545- 8/IS 13630-4 ISO 10545-9/IS 13630-5 ISO 10545-5/IS 13630- 14 ISO 10545-12/IS 13630-10 ISO 10545- 11/IS 13630-9	Max 0.02 mm/m Max. 6.0 x 10-6 Min 10 Cycle Min 0.55 Frost Proof 4 Cycle
Resistance to Staining Glazed	Min. Class 3	Min Class 1	ISO 10545-14/IS	Min. Class 4/ Min. Class 1
Resistance to Household Chemicals & Swimming Pool Salts Glazed	Min Class GB	Min Class AA	13630-8 ISO 10545- 13/IS 13630-8	Min Class GB/Min Class AA
Resistance to Low Concentrate Acid and Alkalis Glazed Resistance to High Concentrate Acid and Alkalis Glazed	As per Manufacturer As per Manufacturer	As per Manufacturer As per Manufacturer	ISO-10545-13/IS 13630-8 ISO-10545-13/IS 13630-7	Min Class GLB***/ Min Class A*** Min Class
Safety Properties				GHB***/
Skid Resistance -{DCOF-WET PENDULUM}##	As per Manufacturer	As per Manufacturer	BS 7976- 2	Min Class A*** Satin, Posh ≥P1 Matt/CRV ≥P2
Slip Resistance -Satin/Posh/ Matt/CRV (DCOF- R Value)##	As per Manufacturer	As per Manufacturer	DIN 51130	R9 to R13
Lead and Cadmium release	As per Manufacturer	N.A	ISO-10545- 15	Does not yield Pb &Cd

^{*}Whichever is Lower ** With nano technology Depending on Application area (low or high intensity of trafic) *** Except Hydrofluoric Acid & it's compound # Tiles Intended for use on floor ## For Floor tiles, as per customer requirement

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT
	600x1200m	8.5m	2	1.44 sq.	28k (Approx)
	m	m	pcs.	mtr.	g

Thank You



Elevating Spaces with Premium Tiles, Worldwide

Reach out to us for enquiries

- <u>\$\\ +353 894 139 274</u>
- www.snksurfaces.com
- <u>■info.snksurfaces.com</u>