


PORCELAIN PAVERS COLLECTION

Volume 1




16, 20 & 30MM THICKNESSES

PORCELAIN PAVERS COLLECTION


16mm



20mm



30mm



Thicknesses

Unfold a perfect amalgamation of functionality and durability with outdoor tiles that come in a range of thicknesses including 16mm, 20mm, and 30mm, offering versatility for various landscaping and architectural applications.

The 16mm thickness is ideal for lighter pedestrian areas while the 20mm option provides durability for moderate foot traffic and vehicular loads. For heavy-duty outdoor spaces such as driveways or commercial areas, the 30mm thickness offers

robustness and resilience against high impact and weight-bearing requirements. Look no further for a seamless transformation of the outdoors as you discover a seamless option with the Porcelain Pavers Collection by Our.

**Versatile
Durable
Functional**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>


TECHNICAL
SPECIFICATIONS

>

Sizes Board

Introducing our exclusive collection of outdoor tiles, designed for versatility and style.

Available in a range of sizes to suit any exterior style, from expansive patios to cozy balconies. Elevate your outdoor space with unmatched durability and timeless elegance.



Architectural Colors

OUTDOOR PORCELAIN PAVERS

Add a strong yet subtle personality to your outdoors with simple yet significant earthy colors that reflect the architectural elements. The timeless earthy color palette infuses the outdoors with solidity and durability.

The natural accent details create a visual interest when laid on outdoors, adding a contrasting elegance. These magnificent surfaces reflect the natural beauty and architectural elements very well.



Earthy Vibrance

Why choose Porcelain Pavers for your outdoor area?



Non-Slip
(R11) Surface



Frost Resistant



Does Not
Absorb Water



D.I.Y. (Easy to Do
it Yourself at
Home)



Easy to Clean



Salt Resistant



Anti Bacterial



Resistant to
Chemical Products



Fire Resistant



Resistant to
Breaking Loads



Resists Sudden
Temperature Changes



Easy to Install



Moss and Mould
Resistant



Easy to Inspect
and Replace



Impact
Resistant



Resistant to
Abrasion



Resistant to
Staining



Resistant to
Blemishes



Resistant to
Deep Scratches



Sunlight-Resistant
Colours



Safe from
Thermal Shock



Durable



Acid Resistant

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Index

PRODUCT RANGE

- MAGMA
- LAVA
- EARTHSTONE
- ROCK
- LIMESTONE
- CRYSTAL
- FOSSIL
- HAMMER STONE
- MUSTANG
- SAND
- QUARTZITE
- EVEREST
- SLATES
- GRANITES
- SMOKE
- SANDSTONES
- BELGIUM
- BLUESTONE
- MARBLE
- WOOD PLANKS

ACCESSORIES

- COBBLES
- STEP-RISER
- EDGING
- COPING
- POOL DRAINS

TECHNICAL SPECIFICATIONS

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS


>

Product Range

Magma Series




Magma Silver




Magma Anthracite


Lava Series




Lava Beige



Lava Grey




Lava Dark Grey



Lava Nero


Earthstone Series



Earthstone Beige



Earthstone Smoke




Earthstone Grey




Earthstone Nero


Rock Series




Rock Beige




Rock Bronze



Rock Bianco




Rock Grey




Rock Gris


Limestone Series



Limestone Ivory




Limestone Ash



Limestone Grey


Crystal Series



Crystal Bianco




Crystal Gris



Crystal Nero


Fossil Series




Fossil Beige



Fossil Gris




Fossil Sky




Fossil Nero


Hammer Stone Series



Hammer Stone Beige




Hammer Stone Grey




Hammer Stone Nero

Mustang Series



Mustang Grey



Mustang Nero

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>


TECHNICAL
SPECIFICATIONS

>

Product Range



Sand Series




Sand Pearl




Sand Mocha

Quartzite Series




Quartzite Pearl

Everest Series




Everest Crema



Everest Pearl




Everest Gris




Everest Nero


Slates Series




African Slate




Casted Slate




Grey Slate



Copper Slate



Black Slate



Rust Pennsylvania Bluestone


Granites Series



G-603



G-654



Basalt


Smoke Series




Smoke Beige




Smoke Taupe




Smoke Taupe



Smoke Sky




Smoke Grey




Smoke Nero


Sandstones Series




Raveena




Raj Green




Sawn Bu




Cedar Green



York Stone




Bu



Sagar Black



Kandla Grey



Kandla Grey Honed

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>

Product Range




Belgium Series




Bluestone Series




Marble Series



Wood Plank Series



Accessories



BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Magma Series

OUTDOOR PORCELAIN PAVERS



V2



R11

SURFACE

Sizes Available :



**600x
1200mm**

Random : 5



**600x
900mm**

Random : 10



**800x
800mm**

Random : 6



**600x
600mm**

Random : 10

Thickness

16mm

20mm

30mm



DIY



FROST
RESISTANCE




STAIN
RESISTANCE



7221

Magma Silver



7224 Magma Anthracite

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Magma Silver**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Magma Anthracite**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Lava Series

OUTDOOR PORCELAIN PAVERS



V2



R11

SURFACE

Sizes Available :



**600x
1200mm**
Random : 5



**600x
900mm**
Random : 9




**800x
800mm**
Random : 5



**600x
600mm**
Random : 16

Thickness




DIY



FROST
RESISTANCE



STAIN
RESISTANCE



1071

Lava Beige




1068

Lava Grey



1044

Lava Dark Grey



1100

Lava Nero

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Lava Beige**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Lava Grey**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Lava Dark Grey**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE


>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Lava Nero**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Earthstone Series

OUTDOOR PORCELAIN PAVERS



V2



R11

SURFACE

Sizes Available :



**600x
1200mm**
Random : 3



**600x
900mm**
Random : 4



**800x
800mm**
Random : 4



**600x
600mm**
Random : 5

Thickness

16mm

20mm

30mm



DIY



FROST
RESISTANCE



STAIN
RESISTANCE



7204 Earthstone Beige



7206 Earthstone Smoke



7203 Earthstone Grey



7202 Earthstone Nero

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Earthstone Beige**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Earthstone Smoke**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Earthstone Grey**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Earthstone Nero**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Rock Series

OUTDOOR PORCELAIN PAVERS



V2



R11
SURFACE

Sizes Available :



**600x
1200mm**
Random : 3



**600x
900mm**
Random : 6




**800x
800mm**
Random : 4



**600x
600mm**
Random : 8

Thickness



DIY




FROST
RESISTANCE



STAIN
RESISTANCE



4508 **Rock Beige**




4506 **Rock Bronze**



4502 **Rock Bianco**



4512 **Rock Grey**



4503 **Rock Gris**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Rock Beige**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Rock Bronze**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Rock Bianco**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Rock Grey**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Rock Gris**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Limestone Series

OUTDOOR PORCELAIN PAVERS



V2



R11

SURFACE

Sizes Available :



600x
1200mm

Random : 5



600x
900mm

Random : 5



800x
800mm

Random : 4



600x
600mm

Random : 7

Thickness

16mm

20mm

30mm



DIY



FROST
RESISTANCE




STAIN
RESISTANCE



4517 Limestone Ivory



4520 Limestone Ash



4518 Limestone Grey

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Limestone Ivory**

BENEFITS OF
PORCELAIN
PAVERS



INDEX



PRODUCT
RANGE



ACCESSORIES



TECHNICAL
SPECIFICATIONS





Preview of : **Limestone Ash**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Limestone Grey**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Crystal Series

OUTDOOR PORCELAIN PAVERS



V2



R11

SURFACE

Sizes Available :



600x
1200mm

Random : 3



600x
900mm

Random : 4



800x
800mm

Random : 3



600x
600mm

Random : 5

Thickness

16mm

20mm

30mm



DIY



FROST
RESISTANCE




STAIN
RESISTANCE



1001 Crystal Bianco



1002 Crystal Gris



1221 Crystal Nero

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Crystal Bianco**

BENEFITS OF
PORCELAIN
PAVERS



INDEX



PRODUCT
RANGE



ACCESSORIES



TECHNICAL
SPECIFICATIONS





Preview of : **Crystal Gris**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Crystal Nero**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Fossil Series

OUTDOOR PORCELAIN PAVERS



V2



R11
SURFACE

Sizes Available :



**600x
1200mm**
Random : 10



**600x
900mm**
Random : 9




**800x
800mm**
Random : 20



**600x
600mm**
Random : 24

Thickness




DIY



FROST
RESISTANCE



STAIN
RESISTANCE




4523 Fossil Beige



4521 Fossil Gris



4525 Fossil Sky



4522 Fossil Nero

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Fossil Beige**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Fossil Gris**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>

Preview of : **Fossil Sky**



Preview of : **Fossil Nero**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Hammer Stone Series

OUTDOOR PORCELAIN PAVERS



V2



R11

SURFACE

Sizes Available :



600x
1200mm

Random : 3



600x
900mm

Random : 3



800x
800mm

Random : 5



600x
600mm

Random : 5

Thickness

16mm

20mm

30mm



DIY



FROST
RESISTANCE




STAIN
RESISTANCE



1021 Hammer Stone
Beige



1022 Hammer Stone
Grey



1023 Hammer Stone
Nero

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Hammer Stone Beige**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Hammer Stone Grey**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Hammer Stone Nero**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Mustang Series

OUTDOOR PORCELAIN PAVERS



V3



R11
SURFACE

Sizes Available :



**600x
1200mm**
Random :4



**600x
900mm**
Random : 8




**800x
800mm**
Random : 8



**600x
600mm**
Random : 8

Thickness




DIY




FROST
RESISTANCE



STAIN
RESISTANCE



1015 Mustang Grey



1014 Mustang Nero

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Mustang Grey**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Mustang Nero**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Sand Series

OUTDOOR PORCELAIN PAVERS



V2



R11
SURFACE

Sizes Available :



**600x
1200mm**
Random : 1



**600x
900mm**
Random : 2




**800x
800mm**
Random : 3



**600x
600mm**
Random : 3

Thickness



DIY



FROST
RESISTANCE



STAIN
RESISTANCE



1006

Sand Pearl



1005

Sand Mocha

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Sand Pearl**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Sand Mocha**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Quartzite Series

OUTDOOR PORCELAIN PAVERS



V3



R11

SURFACE

Sizes Available :



**600x
1200mm**

Random :14



**600x
900mm**

Random : 14



**800x
800mm**

Random : 14



**600x
600mm**

Random : 30

Thickness

16mm

20mm

30mm



DIY



FROST
RESISTANCE



STAIN
RESISTANCE



1011

Quartzite Pearl

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Quartzite Pearl**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Everest Series

OUTDOOR PORCELAIN PAVERS



V3



R11

SURFACE

Sizes Available :



**600x
1200mm**

Random : 5



**600x
900mm**

Random : 5



**800x
800mm**

Random : 10



**600x
600mm**

Random : 10

Thickness

16mm

20mm

30mm




DIY



FROST
RESISTANCE



STAIN
RESISTANCE



1252

Everest Crema



1251

Everest Pearl



1253

Everest Gris



1254

Everest Nero

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Everest Crema**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Everest Pearl**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Everest Gris**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Everest Nero**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Slates Series

OUTDOOR PORCELAIN PAVERS



V4



R11
SURFACE

Sizes Available :



600x
1200mm



600x
900mm




800x
800mm



600x
600mm

Thickness



DIY



FROST
RESISTANCE




STAIN
RESISTANCE




1017 Random:
Upto 8 African
Slate




4223 Random:
Upto 23 Grey
Slate




6122 Random:
Upto 14 Black
Slate



1223 Random:
Upto 14 Casted
Slate



3660 Random:
Upto 29 Copper
Slate



1183 Random:
Upto 30 Rust
Pennsylvania
Bluestone

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **African Slate**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Casted Slate**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Grey Slate**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Copper Slate**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE


>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Black Slate**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Rust Pennsylvania Bluestone**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Granites Series

OUTDOOR PORCELAIN PAVERS



V1



R11
SURFACE

Sizes Available :



600x
1200mm



600x
900mm




800x
800mm



600x
600mm

Thickness



DIY



FROST
RESISTANCE




STAIN
RESISTANCE



1027 Random : Upto 5 G-603



1026 Random : 1 G-654



1098 Random : 1 Basalt

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **G-603**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **G-654**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE


>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>


TECHNICAL
SPECIFICATIONS

>

Preview of : **Basalt**

Smoke Series

OUTDOOR PORCELAIN PAVERS



V2



R11
SURFACE

Sizes Available :



**600x
1200mm**
Random :5



**600x
900mm**
Random : 6




**800x
800mm**
Random : 5



**600x
600mm**
Random : 8

Thickness




DIY



FROST
RESISTANCE



STAIN
RESISTANCE




1391 **Smoke Beige**



1392 **Smoke Taupe**



1395 **Smoke Tobac**



1393 **Smoke Sky**



1394 **Smoke Grey**



1396 **Smoke Nero**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Smoke Beige**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Smoke Taupe**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Smoke Tobac**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Smoke Sky**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Smoke Grey**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Smoke Nero**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Sandstones Series

OUTDOOR PORCELAIN PAVERS



V4



R11

SURFACE

Sizes Available :



600x
1200mm



600x
900mm



800x
800mm



600x
600mm

Thickness

16mm

20mm

30mm




DIY



FROST
RESISTANCE




STAIN
RESISTANCE




1181 Random:
Upto 60 Raveena




1090 Random:
Upto 31 Sawn
Bu



1084 Random:
Upto 20 York
Stone




1081 Random:
Upto 31 Sagar
Black




1061 Random:
Upto 8 Kandla
Grey
Honed



1085 Random:
Upto 44 Raj
Green



1086 Random:
Upto 31 Cedar
Green



1083 Random:
Upto 32 Bu



1043 Random:
Upto 68 Kandla
Grey

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Raveena**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Raj Green**

BENEFITS OF
PORCELAIN
PAVERS



INDEX



PRODUCT
RANGE



ACCESSORIES



TECHNICAL
SPECIFICATIONS





Preview of : **Sawn Bu**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Cedar Green**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **York Stone**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Bu**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Sagar Black**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Kandla Grey**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Kandla Grey Honed**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Belgium Series

OUTDOOR PORCELAIN PAVERS



V2



R11

SURFACE

Sizes Available :



**600x
1200mm**

Random : 8



**600x
900mm**

Random : 16



**800x
800mm**

Random : 16



**600x
600mm**

Random : 16

Thickness

16mm

20mm

30mm



DIY



FROST
RESISTANCE



STAIN
RESISTANCE




1247

Belgium Gris



1248

Belgium Grafito



1249

Belgium Nero

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Belgium Gris**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Belgium Grafito**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Belgium Nero**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Bluestone Series

OUTDOOR PORCELAIN PAVERS



V2



R11

SURFACE

Sizes Available :



600x
1200mm

Random : 2



600x
900mm

Random : 3



800x
800mm

Random : 3



600x
600mm

Random : 4

Thickness

16mm

20mm

30mm



DIY



FROST
RESISTANCE



STAIN
RESISTANCE



7241 Bluestone Light



7242 Bluestone Dark

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Bluestone Light**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Bluestone Dark**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Marble Series

OUTDOOR PORCELAIN PAVERS



V3



R11

SURFACE

Sizes Available :



600x
1200mm



600x
900mm



800x
800mm



600x
600mm

Thickness

16mm

20mm

30mm




DIY



FROST
RESISTANCE




STAIN
RESISTANCE



1454

Random : 6

Statuario
Gold



1451

Random : 12

Elegance
Statuario

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Statuario Gold**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Elegance Statuario**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Wood Plank Series

OUTDOOR PORCELAIN PAVERS



V2



R11
SURFACE

Sizes Available :



**300x
1200mm**


Random :
Upto 12



**200x
900mm**

Random :
Upto 24

Thickness




DIY



FROST
RESISTANCE



STAIN
RESISTANCE



1103 Wood Grove
Beige



1104 Wood Grove
Dark



1116 Wood Grove
Light




1102 Wood Grove
Grey



1133 Deckwood
Amber



1134 Deckwood
Caramel



1131 Deckwood
Pearl



1136 Deckwood
Charcoal

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Wood Grove Beige**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Wood Grove Dark**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Wood Grove Light**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Wood Grove Grey**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Deckwood Amber**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Deckwood Caramel**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Deckwood Pearl**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Deckwood Charcoal**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>

Accessories

OUTDOOR PORCELAIN PAVERS

1. Cobbles

Sizes Available :




100x
100mm



100x
200mm

2. Step-Riser



Sizes Available :

STEP

450x1200mm
450x900mm
300x1200mm
300x900mm

RISER

150x1200mm
150x900mm
200x1200mm
200x900mm



Half Bullnose



Full Bullnose


3. Edging

Size Available :




200x
900mm

4. Coping



Sizes Available :
300x900mm
300x1200mm

5. Pool Drains



Sizes Available :
200x600m
m
200x900m
m

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE


>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Magma Anthracite
100x100mm

Magma Anthracite
100x200mm

Kandla Grey
100x100mm

Kandla Grey
100x200mm

Preview of : **Cobbles**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Crystal Bianco
150x1200mm (Riser)

Crystal Bianco
450x1200mm (Step)

Preview of : **Step-Riser**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Kandla Grey
150x1200mm (Riser)

Kandla Grey
450x1200mm (Step)

Preview of : **Step-Riser**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Earthstone Grey
150x900mm (Riser)

Earthstone Grey
450x900mm (Step)

Preview of : **Step-Riser**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE


>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Magma Anthracite
150x900mm (Riser)

Magma Anthracite
450x900mm (Step)

Preview of : **Step-Riser**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE


>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Earthstone Grey
200x900mm

Crystal Bianco
200x900mm

Kandla Grey
200x900mm

Magma Anthracite
200x900mm

Preview of : **Edging**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



**Quartzite Pearl
300x1200mm
(Two Side Full Bullnose)**

Preview of : **Coping**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE


>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



**Crystal Bianco
200x900mm**

**Crystal Bianco
300x900mm
(One Side Full Bullnose)**

Preview of : **Coping & Pool Drains**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>

Technical Specifications

600x1200x20mm OUTDOOR PORCELAIN PAVERS

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	OUR SPECIFICATIONS FOR PRODUCTION
LENGH	BS EN ISO 10545-2	±0.60%	±0.07% (±0.8MM)
WIDTH	BS EN ISO 10545-2	±0.60%	±0.07%(±0.4MM)
THICKNESS	BS EN ISO 10545-2	±5%	±2.5%(0.5MM)
STRAIGHTNESS OF SIDES	BS EN ISO 10545-2	±0.5%	±0.06%(±0.4MM)
RECTANGULARITY	BS EN ISO 10545-2	±0.5%	±0.12%
"SURFACE FLATNESS: CENTRE CURVATURE"	BS EN ISO 10545-2	±0.5%	±0.15%(+1.0MM) ±0.07%(-0.5 MM)
"SURFACE FLATNESS :WARPAGE"	BS EN ISO 10545-2	±0.5%	+0.17% (+1.0MM) +0.08%(+0.5MM)
"SURFACE FLATNESS :WARPAGE"	BS EN ISO 10545-2	±0.5%	-0.15%(1.0MM) -0.07%(-0.5 MM)
WATER ABSORPTION	BS EN ISO 10545-3	E ≤ 0.5%	E ≤ 0.4%
BREAKING STRENGTH	BS EN ISO 10545-4	≥ 1300 N	≥ 10600 N
MODULUS OF RUPTURE	BS EN ISO 10545-4	≥ 35 N/MM ²	≥ 45 N/MM ²
"RESISTANCE OF SURFACE ABRASION"	BS EN ISO 10545-7	"MANUFACTURE TO STATE ABRASION CLASS"	CLASS -IV
"COEFFICIENT OF LINER THERMAL EXPANSION"	BS EN ISO 10545-8	9x10 ⁻⁶ K ⁻¹ MAX	≤ 4x10 ⁻⁶ K ⁻¹ MAX
RESISTANCE THERMAL SHOCK	BS EN ISO 10545-9	MINI 10 CYCLES	FULLY RESISTANCE
CRAZING RESISTANCE	BS EN ISO 10545-11	"PASS ACCORDING TO EN ISO 10545-1g TWO CYCLE MUST PASS"	FULLY RESISTANCE
"RESISTANCE TO HOUSE HOLD CHEMICALS & SWIMMING POOL SALTS"	BS EN ISO 10545-13	MINIMUM CLASS GC	CLASS GA
"RESISTANCE TO LOW CONCENTRATIONS ACIDS & ALKALIS"	BS EN ISO 10545-13	MINIMUM CLASS GLC	CLASS GLA
RESISTANCE TO STAINS	BS EN ISO 10545-14	MINIMUM CLASS 3	CLASS 4

Technical Specifications

600x900x20mm OUTDOOR PORCELAIN PAVERS

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	OUR SPECIFICATIONS FOR PRODUCTION
LENGH	BS EN ISO 10545-2	±0.60%	±0.07% (±0.4MM)
WIDTH	BS EN ISO 10545-2	±0.60%	±0.07%(±0.6MM)
THICKNESS	BS EN ISO 10545-2	±5%	±2.5%(0.5MM)
STRAIGHTNESS OF SIDES	BS EN ISO 10545-2	±0.5%	±0.06%(±0.4MM)
RECTANGULARITY	BS EN ISO 10545-2	±0.5%	±0.12%
"SURFACE FLATNESS: CENTRE CURVATURE"	BS EN ISO 10545-2	±0.5%	±0.15%(+1.0MM) ±0.07%(-0.5 MM)
"SURFACE FLATNESS :WARPAGE"	BS EN ISO 10545-2	±0.5%	+0.17% (+1.0MM) +0.08%(+0.5MM)
"SURFACE FLATNESS :WARPAGE"	BS EN ISO 10545-2	±0.5%	-0.15%(1.0MM) -0.07%(-0.5 MM)
WATER ABSORPTION	BS EN ISO 10545-3	E ≤ 0.5%	E ≤ 0.4%
BREAKING STRENGTH	BS EN ISO 10545-4	≥ 1300 N	≥ 10600 N
MODULUS OF RUPTURE	BS EN ISO 10545-4	≥ 35 N/MM ²	≥ 45 N/MM ²
"RESISTANCE OF SURFACE ABRASION"	BS EN ISO 10545-7	"MANUFACTURE TO STATE ABRASION CLASS"	CLASS -IV
"COEFFICIENT OF LINER THERMAL EXPANSION"	BS EN ISO 10545-8	9x10 ⁻⁶ K ⁻¹ MAX	≤ 4x10 ⁻⁶ K ⁻¹ MAX
RESISTANCE THERMAL SHOCK	BS EN ISO 10545-9	MINI 10 CYCLES	FULLY RESISTANCE
CRAZING RESISTANCE	BS EN ISO 10545-11	"PASS ACCORDING TO EN ISO 10545-1g TWO CYCLE MUST PASS"	FULLY RESISTANCE
"RESISTANCE TO HOUSE HOLD CHEMICALS & SWIMMING POOL SALTS"	BS EN ISO 10545-13	MINIMUM CLASS GC	CLASS GA
"RESISTANCE TO LOW CONCENTRATIONS ACIDS & ALKALIS"	BS EN ISO 10545-13	MINIMUM CLASS GLC	CLASS GLA
RESISTANCE TO STAINS	BS EN ISO 10545-14	MINIMUM CLASS 3	CLASS 4

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>





Thank You




Elevating Spaces with Premium Tiles, Worldwide

Reach out to us for enquiries

 [+353 894 139 274](tel:+353894139274)

 www.snksurfaces.com

 info.snksurfaces.com